

Printing date 03/01/2022 Reviewed on 03/01/2022

1: Identification

· 1.1 Product identifier

· Trade name: SILIKAL Filler SV

· Application of the substance / the preparation: Filler/ Extender

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Silikal America 609-B Fertilla Street Carrollton, GA 30117 Tel.: 770.830.1404 Fax.: 777.830.9213 info@silikalamerica.com

· Information department: Silikal America

• 1.4 Emergency telephone number: INFOTRAC 1-800-535-5053

2: Hazard(s) identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Carc. 1A H350 May cause cancer.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labeled according to the CLP regulation.

Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Quartz (SiO2) Quartz (SiO2)

· Hazard statements

H350 May cause cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements

P260 Do not breathe dust.

P284 In case of inadequate ventilation wear respiratory protection.

P314 Get medical advice/attention if you feel unwell.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0 Fire = 0 Reactivity = 0

(Contd. on page 2)

Printing date 03/01/2022 Reviewed on 03/01/2022

Trade name: SILIKAL Filler SV

· HMIS-ratings (scale 0 - 4)

(Contd. of page 1)



Health = 0Fire = 0

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB**: Not applicable.

3: Composition/information on ingredients

- · 3.2 Chemical characterization: Mixtures
- · Description: Filler/ Extender

· Dangerous o	components:		
14808-60-7	Quartz (SiO2)	♦ Carc. 1A, H350	50-100%
14808-60-7	Quartz (SiO2)	& Carc. 1A, H350; STOT RE 1, H372	25-50%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4: First-aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: If symptoms persist consult doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

5: Fire-fighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

(Contd. on page 3)

Printing date 03/01/2022 Reviewed on 03/01/2022

Trade name: SILIKAL Filler SV

(Contd. of page 2)

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Store in dry conditions.
- · 7.3 Specific end use(s) No further relevant information available.

8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

14808-60-7 Quartz (SiO2)

PEL see Quartz listing

REL Long-term value: 0.05* mg/m³

*respirable dust; See Pocket Guide App. A

TLV Long-term value: 0.025* mg/m³

*as respirable fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Recommended filter device for short term use: Filter P2
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (EN 374)

Material of gloves

Strong gloves

Butyl rubber, BR

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Not required.
- · Body protection: Protective work clothing

...

Printing date 03/01/2022 Reviewed on 03/01/2022

Trade name: SILIKAL Filler SV

(Contd. of page 3)

9: Physical and chemical pro	operties		
· 9.1 Information on basic physical and chemical properties · General Information			
· Appearance: Form: Color: · Odor: · Odor threshold:	Powder Light beige Odorless Not determined.		
· pH-value:	Not applicable.		
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	> 1700 °C 2230 °C (4046 °F)		
· Flash point:	Not applicable.		
· Flammability (solid, gaseous):	Not determined.		
· Ignition temperature:			
Decomposition temperature:	Not determined.		
· Auto igniting:	Product is not selfigniting.		
· Danger of explosion:	Product does not present an explosion hazard.		
· Explosion limits: Lower: Upper:	Not determined. Not determined.		
· Vapor pressure:	Not applicable.		
· Density at 20 °C (68 °F):	2.31 g/cm ³ (19.277 lbs/gal)		
· Bulk density:· Relative density· Vapor density· Evaporation rate	1.2 g/cm³ (10.014 lbs/gal) Not determined. Not applicable. Not applicable.		
 Solubility in / Miscibility with Water: 	Insoluble.		
· Partition coefficient (n-octanol/wat	er): Not determined.		
 Viscosity: Dynamic: Kinematic: 9.2 Other information 	Not applicable. Not applicable. No further relevant information available.		

10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Reacts with alkali, amines and strong acids.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.
- · Additional information: No special measures required.

Printing date 03/01/2022 Reviewed on 03/01/2022

Trade name: SILIKAL Filler SV

(Contd. of page 4)

11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · on the skin: Based on available data, the classification criteria are not met.
- · on the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · Carcinogenic categories

<u> </u>	no outegories	
· IARC (Interi	national Agency for Research on Cancer)	
14808-60-7	Quartz (SiO2)	1
14808-60-7	Quartz (SiO2)	1
· NTP (Nation	nal Toxicology Program)	
14808-60-7	Quartz (SiO2)	K
14808-60-7	Quartz (SiO2)	K
· OSHA-Ca (C	Occupational Safety & Health Administration)	
None of the	ingredients is listed.	

12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:

Can be disposed of with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. Smaller quantities can be disposed of with household waste.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14: Transport information		
· 14.1 UN-Number · DOT, ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void	

(Contd. on page 6)

Printing date 03/01/2022 Reviewed on 03/01/2022

Trade name: SILIKAL Filler SV

		(Contd. of page
· 14.3 Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
Class	Void	
· 14.4 Packing group		
· DOT, ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to An	nex II	
of MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 355	(extremely	/ hazardous	substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

- · TSCA (Toxic Substances Control Act):
- All ingredients are listed.
- · Proposition 65
- · Chemicals known to cause cancer:

14808-60-7 Quartz (SiO2)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

14808-60-7 Quartz (SiO2)	A2
14808-60-7 Quartz (SiO2)	A2

· MAK (German	Maximum	Workplace	Concentration)

14808-60-7	Quartz (SiO2)	1
14808-60-7	Quartz (SiO2)	1

· NIOSH-Ca (National Institute for Occupational Safety and Health)

All ingredients are listed.

· AGW (German Workplace Threshold Value)

None of the ingredients is listed.

(Contd. on page 7)

Printing date 03/01/2022 Reviewed on 03/01/2022

Trade name: SILIKAL Filler SV

(Contd. of page 6)

- · National regulations:
- · Water hazard class: Generally not hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Silikal America
- Date of preparation / last revision 04/28/2016 / 8
- Abbreviations and acronyms:

Carc. 1A: Carcinogenicity, Hazard Category 1A STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1

· * Data compared to the previous version altered.